DATASHEET
FUJITSU LIFEBOOK E780 NOTEBOOK

THE MOBILE TOP PERFORMER

LIFEBOOK E780

The simple philosophy behind LIFEBOOK E780: only the best is good enough. State-of-the-art Intel® technology and an optional NVIDIA® graphics card ensure brilliant graphics and best performance. This 39.6cm (15.6-inch) notebook supports HD or HD+ display with LED backlight. With features like fingerprint and Fujitsu's Advanced Theft Protection (ATP) your notebook is secured from any data theft.

MORE THAN ENOUGH PERFORMANCE

Maximum productivity even for the most demanding of applications thanks to state-of-the-art technology.

- Intel® Core™ i5 or i7 processor, Intel® vPro™ technology, optional high-performance NVIDIA graphics card

IDEAL SUBSTITUTE FOR A DESKTOP

Effective working even for the most demanding of users in all situations.

- 39.6 cm (15.6-inch) HD or HD+ display, modular bay, optional second 320GB hard disk drive

MAXIMUM CONNECTIVITY

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

- Integrated display port, E-SATA, serial port, optional integrated 3G/UMTS, WLAN and Bluetooth

MAXIMUM SECURITY

Protect your company data against unauthorized third-party access.

- Benefit from our end-to-end anti-theft concept with system and user protection, such as Computrace® enabled BIOS and Advanced Theft Protection, integrated SmartCard slot, optional fingerprint sensor, TPM module and SmartCase Logon+

GREAT FLEXIBILITY

The family concept offers standard accessory components for LIFEBOOK E780 and S710 Series.

- Standardized port replicator, power supply unit, keyboard and modular bay for optical drive, second battery or second hard disk drive

COMPONENTS

PROCESSOR	Intel® Core™ i7 processor 620M (2.66 GHz, 4 MB, 1066 MHz)	
	Intel® Core™ i5 processor 540M (2.53 GHz, 3 MB, 1066 MHz)	
	Intel® Core™ i5 processor 520M (2.4 GHz, 3 MB, 1066 MHz)	
MEMORY MODULES	2 GB (1 module(s) 2 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM	
	4 GB (1 module(s) 4 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM	
Supported capacity RAM (min.)	2 GB	
Supported capacity RAM (max.)	8 GB	
Memory slots total	2	
Memory slot type	DIMM (DDR3)	
Memory notes	DDR3 1333 MHz will be clocked with 1066 MHz in combination with Intel® dual Core processors.	
HARD DISK DRIVES (INTERNAL)	500 GB, 7200 rpm, SATA, 2.5-inch S.M.A.R.T.	
	320 GB, 5400 rpm, SATA, 2.5-inch S.M.A.R.T.	
	320 GB, 5400 rpm, FDE, 2.5-inch S.M.A.R.T.	
	160 GB, 5400 rpm, SATA, 2.5-inch S.M.A.R.T.	
	128 GB SSD SATA, 2.5-inch S.M.A.R.T.	
Hard disk notes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software	
WLAN (OPTIONAL)	Atheros Minicard b/g/n	
	Intel® Centrino® 6200 802.11 a/b/g/n	
WIRELESS TECHNOLOGIES		
Antennas	2 Dual band WLAN antennas, 2 UMTS antenna	
WLAN notes	Import and usage according to country-specific regulations.	
3G/UMTS (OPTIONAL)	Sierra Wireless Gobi 2000 (downlink 7.2 Mbit/s, uplink 5.76 Mbit/s)	
DISPLAY	39.6 cm (15.6-inch), LED backlight, (HD+), anti-glare display, magnesium, 1600 x 900 pixel	
	39.6 cm (15.6-inch), LED backlight, (HD), anti-glare display, magnesium, 1366 x 768 pixel	
	39.6 cm (15.6-inch), LED backlight, (HD), anti-glare display, compound, 1366 x 768 pixel	
BLUETOOTH (OPTIONAL)	Bluetooth 2.1	
MODULAR BAY OPTIONS	2nd battery	
	2nd hard disk drive	
	DVD Super Multi	
	Weight saver	
Base unit	LIFEBOOK E780 NVIDIA® graphics	LIFEBOOK E780 Intel® graphics
GENERAL SYSTEM INFORMATION		
Chipset	Intel® QM57	
Intel platform	Intel® Core™ i7 processor with vPro™ technology	
BIOS features	BIOS based on Phoenix SecureCore	
GRAPHICS		
Max. resolution external display	DVI-D: 2560 x 1600 pixels (60Hz); HDMI: 1080p	
Max. resolution display port	2560 x 1600 pixel	
Graphics brand name	NVIDIA® GeForce® GT 330M	Intel® HD Graphics
Graphics features	DualView (Windows® XP & Windows® Vista)	
INTERFACES		
Memory card slots	1 (SD/MS/MSPro)	
ExpressCard slots	1	
PC Card slot (Type I/II)	1	

INTERFACES		
SmartCard slot	1	
SIM card slot	1	
Modem (RJ-11)	1 (optional)	
eSATA	1	
USB 2.0 total	4	
FireWire (IEEE1394)	1	
Serial (RS-232) text	1	
VGA	1 (up to 1920 x 1200)	
DisplayPort	1 (up to 2560 x 1600)	
Ethernet (RJ-45)	1	
DC-in	1	
Audio: line-in / microphone	1	
Audio: line-out / headphone	1	
Internal microphones	2 digital array microphones	
Docking connector for Port Replicator	1	
Kensington Lock support	2	
WIRED COMMUNICATION		
Modem type	Optional: 56 K V.92 modem MDC1.5	
LAN	10/100/1000 MBit/s Intel® 82577 LM	
KEYBOARD AND POINTING DEVICES		
	Spill-resistant keyboard	
	Number of keyboard keys: 86, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm	
	EcoButton Fingerprint sensor LockWorkstation button MobilityCenter button Second set of mouse buttons TouchStick (optional) Touchpad with two mouse buttons and scroll via fingerprint sensor	EcoButton Fingerprint sensor option (with scroll function instead of scroll button) LockWorkstation button MobilityCenter button Second set of mouse buttons TouchStick (optional) Touchpad with two mouse buttons and one scroll button
MULTIMEDIA		
Audio type	On board	
Audio codec	Realtek ALC269	
Audio features	Stereo speakers, 2 digital array microphones	
Camera	Optional: Built-in webcam, 1.3 megapixel, VGA camera	
POWER SUPPLY		
AC adapter	19 V / 100 W (5.27 A)	19 V / 80 W (4.22 A)
Rated voltage range	100 - 240 V (AC Input)	
Rated frequency range	50 - 60 Hz	
1st battery	Li-Ion battery 6-cell or 8-cell, 5.200 mAh or 5.800 mAh, 56 Wh or 83 Wh	Li-Ion battery 6-cell or 8-cell, 5.200 mAh or 5.800 mAh, 56Wh or 83 Wh
2nd battery (optional)	Li-Ion, 3800 mAh, 41 Wh	
Battery features	Rapid charge with 5200 mAh batteries	
Benchmark	Mobile Mark 2007	
Runtime 1st battery	up to 5 h	up to 7 h
Runtime 1st + 2nd battery	up to 8 h	up to 11 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.	
DIMENSIONS / WEIGHT / ENVIRONMENTAL		
Dimensions (W x D x H)	372 x 255 x 36 mm	
Weight	2.75 kg	2.7 kg
Weight notes	Actual weight may vary depending on configuration	
Operating ambient temperature	5 - 35°C	
Operating relative humidity	20 - 85 % (running)	

OPERATING SYSTEM		
Operating system optional preinstalled	Microsoft® Windows® 7 Professional 64-bit TwinLoad Microsoft® Windows® XP Professional (DVD)	
Operating system compatible	Microsoft® Windows® XP Professional	
Operating system notes	Driver support for Microsoft® Windows® XP	
ADDITIONAL SOFTWARE		
Additional software (preinstalled)	Adobe Acrobat Reader Application Panel Display Manager ShockSensor Utility Power Saving Utility Wireless Selector Utility EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) on Drivers & Utilities DVD for Microsoft Windows XP Toshiba Stack 4.x (not available for Windows® 7 operating systems)	
Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) SmartCase Logon+	
MANAGEABILITY		
Manageability features	DeskUpdate Driver management DeskView Migrate (optional) DeskView Control (optional)	
Manageability type	DeskView 10.x client management including:	
DeskView features	On/Offline remote client management Detailed system inventory management and reports BIOS Management Remote power management System notifications Security Remote Control DeskView Helpdesk Integration WoL (Wake on LAN)	
Supported standards	WMI PXE BootP (made4you)	
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html	
SECURITY		
Physical security	Kensington Lock support	
System security	Advanced Theft Protection Computrace® enabled BIOS Optional: Trusted platform module (TPM 1.2) Symantec Norton Internet Security (90 day test version)	
User security	Integrated Fingerprint Sensor Integrated SmartCard slot Hard disk password SystemLock BIOS SmartCard security User and supervisor BIOS password	Optional: Integrated Fingerprint Sensor Integrated SmartCard slot Hard disk password SystemLock BIOS SmartCard security User and supervisor BIOS password
Product		
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx	

PORTREPLICATOR INTERFACES (OPTIONAL)		
	Port replicator/AC adapter/GB-cable kit	Port replicator/AC adapter/EU-cable kit
DC-in	1 (19V)	1 (19V)
Power on switch	1	1
Audio: headphone	1	1
Audio: microphone	1	1
USB 2.0 total	4	4
DisplayPort	1 (up to 2560 x 1600)	1 (up to 2560 x 1600)
VGA	1	1

PORTREPLICATOR INTERFACES (OPTIONAL)		
DVI	1 (Dual link - up to 2560 x 1600)	1 (Dual link - up to 2560 x 1600)
Serial (RS-232) text	1	1
Ethernet (RJ-45)	1 (10/100/1000)	1 (10/100/1000)
Parallel	1	1
Kensington Lock support	1	1
eSATA	1	1

RECOMMENDED ACCESSORIES	
AC Adapter	S26391-F519-L200
1st battery	S26391-F518-L200
2nd battery	S26391-F440-L200
Memory (2GB)	S26391-F504-L100
Memory (4GB)	S26391-F504-L200
1st hard disk drive	S26391-F507-L300
2nd hard disk	S26391-F508-L400
DVD super Multi	S26391-F515-L200
Port replicator / AC adapter / cable kit	S26391-F516-L100 (EU cable) S26391-F516-L200 (GB cable)
Recommended cases	S26391-F119-L71 (Supreme case maxi, black leather)

WARRANTY	
Standard Warranty	1 year (Intel GFX) / 2 years (NVIDIA GFX) - depending on configuration
Service level	Collect & Return Service / Bring-In Service (depending on country)

MAINTENANCE AND SUPPORT SERVICES - THE PERFECT EXTENSION	
Recommended Service	5x9, Response Time: Next Business Day (Intel GFX) or On-site Service (NVIDIA GFX)
Spare Parts availability	5 years
Service Weblink	htttp://ts.fujitsu.com/Supportservice

FUJITSU PLATFORM SOLUTIONS

In addition to Fujitsu LIFEBOOK E780, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures
With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products
www.fujitsu.com/global/services/computing/

Software
www.fujitsu.com/software/

MORE INFORMATION

Learn more about Fujitsu LIFEBOOK E780, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. http://ts.fujitsu.com/mobile

FUJITSU GREEN POLICY INNOVATION

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.
Please find further information at http://www.fujitsu.com/global/about/environment/

COPYRIGHTS

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.
Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions

DISCLAIMER

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT
FUJITSU Technology Solutions
Website: http://ts.fujitsu.com
2010-03-01 CE-EN